

TeraPrint Produktunterlage

Gebrandete TeraPrint-Downloadunterlage

PRODUKT	Tesa powerstrips large
UNTERLAGE	Produktinformation
TYP	other
ORIGINALSEITEN	2
STAND	16.06.2026
DATEI	products/tesa-powerstrips/assets/documents/2a4bf8d0a05d10fc45f7c25a6153c8744f5578157e110ec293df041f680d22f7.pdf

Wichtig fuer die Produktion

Die folgenden Originalseiten bleiben in Format, Reihenfolge und Inhalt unveraendert.
Druckmass, Schnitt, Beschnitt, Sicherheitsbereiche und technische Vorlage wurden nicht veraendert.
Bei Zertifikaten, Datenblaettern und Pruefberichten bleiben Aussteller und Originalinhalte unveraendert.

TeraPrint Hinweis

Diese Datei ist lokal bei TeraPrint gespeichert und fuer den Kunden-Download vorbereitet.
Bitte bei Druckdaten immer die Massangaben und Beschnitt-/Sicherheitszonen der Originalvorlage beachten.
Bei Unsicherheit vor Bestellung oder Produktion TeraPrint kontaktieren.

tesa® Powerstrips LARGE

BNR 58000, 58002, 58060, 58088, 58190

tesa Powerstrips Large are self-adhesive double-sided strips. They are ideal for the removable fixation of flat objects weighing up to 2 kg to many surfaces.

Features

- Suitable for the whole Powerstrips Large accessory range
- Maximum hold of up to 2 kg on smooth surfaces
- Removable without trace thanks to the Powerstrips® technology
- Strong hold for objects on most surfaces*

*Not suitable for use on styrofoam, foamed material, surfaces with non-stick coating, porous materials

Product Properties

• Applicationfield	Bathroom, Kitchen, Living room, Office, Hall, Children's room	• Ozone resistant	yes
• Type of tape	Double-sided adhesive	• Resistance to chemicals	No
• Holding power up to	2 kg	• Solvent free	yes
• Transparent	no	• Suitable surfaces	Tiles, Glass, Even wood, Steel, Acrylic glass, Most plastics
• UV-resistant	no	• Reusable	no
• Water resistant	no	• Waterproof	no
• Humidity resistant	no	• Batteries required	no
• Oil- and grease-resistant	no	• Batteries included	no

Technical Data

• Application temperature	min. 15° C	• Age-resistant	yes
• Area of use	Indoor	• Temperature resistance from	5 °C
• Residue-free removable	yes	• Temperature resistance up to	35 °C
• Type of adhesive	synthetic rubber	• Silicone free	yes
• Total thickness	650 µm	• Hazard material	no

Application

- How to apply - Step by step:
1. Clean the surface with alcohol or silicone-free glass cleaner
 2. Apply the Powerstrip Large strip on the surface - press for 5 seconds minimum
 3. Fix object onto surface - press for 5 seconds minimum
 4. Make sure the tab can be accessed for removal.

tesa® Powerstrips LARGE

Disclaimer

tesa® products prove their impressive quality day in, day out in demanding conditions and are regularly subjected to strict controls. All information and recommendations are provided to the best of our knowledge on the basis of our practical experience. Nevertheless tesa SE can make no warranties, express or implied, including, but not limited to any implied warranty of merchantability or fitness for a particular purpose. Therefore, the user is responsible for determining whether the tesa® product is fit for a particular purpose and suitable for the user's method of application. If you are in any doubt, our technical support staff will be glad to support you.



For latest information on this product please visit
<http://l.tesa.com/?ip=58000>